

E Series E560P

4K PTZ PoE Camera with Auto Tracking and Smart Detection



Pan & Tilt

Rotates with remote control to cover a larger area.



Auto Tracking

Automatically follows the moving targets closely.



3X Optical Zoom

Zoom in for more details & zoom out for wider coverage.

ULTRA
HD

4K UHD

Delivers sharper images and videos with the finest details.



Two-Way Audio

Speak to anyone who approaches your property in real time.



Color Night Vision

Captures full-color images at night with its spotlights on.



Smart Detection

Distinguish people, vehicles, and animals from other objects.



Power over Ethernet

Transmit data and power with only one Ethernet cable.



Weatherproof

Performs well indoors or outdoors for year-round protection.



Pan-Tilt & Auto Tracking

Pans 355° and tilts 50° to cover a wider range of key areas. Plus, it automatically tracks people, vehicles, and animals to record their entire movement.



Be Alerted to What Matters

Distinguishes people, vehicles, and animals from other trivial things to reduce false alarms. Never miss anything important.



Impressive Clarity in 4K 8MP

Get razor-sharp recordings in 4K clarity. Stay better informed with the hard-to-see details captured by the camera.



All-Round Deterrence to Intruders


Deter intruders effectively with spotlights on or the siren activated. Or scare off unwanted guests using two-way audio.



Peace of Mind Even at Night

Three night vision modes for your convenience: black & white night vision, color night vision (with spotlights), and smart mode (motion activated).

Gallery



One App/Client for All Control

Stay connected to your home or business anytime, anywhere.



Privacy in Your Hands

We made it a priority to ensure that your privacy is protected and your data is for your eyes only.



Model	E Series E560P	
Video & Audio	Image Sensor	1/2.8" CMOS Sensors
	Video Resolution	Default: 3840X2160 (8.0 megapixels) at 25 frames/sec
	Lens	f=2.8 - 8mm, zoom module
	Video Format	H.265
	Field of View	Horizontal : 94° - 50° Vertical : 53° - 30°
	Day & Night	IR-cut filter with auto-switching
	Infrared Night Vision	Up to 12 meters (40ft) (LED : 12pcs/14mil/850nm)
	Color Night Vision	Spotlights: 4pcs/2.7W/6500K/180 Lumens
	Audio	Two-Way Audio
Power	PoE	IEEE 802.3af, 48V Active
	DC Power	DC 12V=1A, <12W
Interface	Power	DC power port
	System	Reset button
	Ethernet	One 10M/100Mbps; RJ45
	Storage	microSD card slot (Max. 256GB)
	Audio	Built-in microphone and speaker
Pan&Tilt	Pan &Tilt	Pan: 355°, Tilt: 0° - 50°
	Auto Tracking	Support
Software Features	Frame Rate	Mainstream : 2fps - 25fps (default : 25fps) Substream : 4fps - 15fps (default : 10fps)
	Code Rate	Mainstream : 4096Kbps - 8192Kbps (default : 6144Kbps) Substream : 64Kbps - 512Kbps (default : 256Kbps)
	Browser Supported	Edge, Chrome, Firefox, Safari
	OS Supported	PC : Windows, Mac OS ; Smartphone : iOS, Android
	Smart Alarm	Motion detection; person detection; vehicle detection; pet detection(beta)
	Record Mode	Motion-triggered recording (default); scheduled recording; 24/7 recording
	Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, ONVIF, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
	Maximal User Access	20 Users (1 admin account & 19 user accounts); Supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
	Work with	Google Assistant
Working Environment	Temperature	Operating temperature: -10°C ~ +50°C (14°F ~ 122°F)
	Humidity	Operating humidity: 10% ~ 90%
	Waterproof	IP64
Size & Weight	Dimension	Φ85x118mm
	Weight	395g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/



- 1 Daylight Sensor
- 2 4 Spotlights
- 3 Lens
- 4 12 IR LEDs
- 5 Status LED



- 1 microSD Card Slot
- 2 Power
- 3 Network
- 4 Power Cable
- 5 Speaker

What's in the Box

E Series E560P(x1)

Mounting Plate (x1)

Security Bracket (x1)

Quick Start Guide (x1)

1m Network Cable (x1)

Pack of Screws (x1)

Surveillance Sticker (x1)

Best Companion



Reolink Floodlight



microSD Card



RLA-PS1 (PoE Switch)



Ethernet Cable



Waterproof Lid



PoE Injector



Reolink NVR

Download Free Reolink App & Client

Learn more: <https://reolink.com/software-and-manual/>



Terms and Privacy

Terms and Privacy: Use of the product is subject to your agreement to the Terms of Service and Privacy Policy at reolink.com. Keep out of reach of children.

Limited Warranty

Limited Warranty: This product comes with a 2-year limited warranty. Learn more: <https://reolink.com/warranty-and-return/>